



Can Followers

Designation	Principal dimensions				Basic load ratings		Fatigue load limit	Maximum radial loads	
	D	d	B	C	dynamic	static		dynamic	static
	mm	mm	mm	mm	C	C0	Pu	Fr max.	F0r max.
	mm				kN		kN	kN	
KR 16 PPA	16	6	28	11	3.14	3.2	0.345	2.9	4.15
KR 16 X	16	6	28	11	3.14	3.2	0.345	2.9	4.15
KR 16 PPSKA	16	6	28	11	3.14	3.2	0.345	2.9	4.15
KR 16	16	6	28	11	3.14	3.2	0.345	2.9	4.15
KRVE 16 PPA	16	9	28	11	4.73	6.55	0.72	4.05	5.7
KRV 16 PPXA	16	6	28	11	4.73	6.55	0.72	4.05	5.7
KRV 16	16	6	28	11	4.73	6.55	0.72	4.05	5.7
KRV 16 PPA	16	6	28	11	4.73	6.55	0.72	4.05	5.7
KRE 16 PPA	16	9	28	11	3.14	3.2	0.345	2.9	4.15
KR 16 PPXA	16	6	28	11	3.14	3.2	0.345	2.9	4.15
KR 19 PPSKA	19	8	32	11	3.47	3.8	0.415	3.8	5.5
KRV 19 PPA	19	8	32	11	5.28	8	0.88	5.1	7.35
KR 19 X	19	8	32	11	3.47	3.8	0.415	3.8	5.5
KRE 19 PPA	19	11	32	11	3.47	3.8	0.415	3.8	5.5
KRV 19 PPXA	19	8	32	11	5.28	8	0.88	5.1	7.35
KRVE 19 PPA	19	11	32	11	5.28	8	0.88	5.1	7.35
KRV 19	19	8	32	11	5.28	8	0.88	5.1	7.35
KR 19	19	8	32	11	3.47	3.8	0.415	3.8	5.5
KR 19 PPA	19	8	32	11	3.47	3.8	0.415	3.8	5.5
KR 19 PPXA	19	8	32	11	3.47	3.8	0.415	3.8	5.5
KRE 22 PPA	22	13	36	12	4.4	5	0.56	4.25	6
KR 22 PPA	22	10	36	12	4.4	5	0.56	4.25	6
KRV 22 PPA	22	10	36	12	6.05	9.15	1.04	5.7	8.15
KR 22 B	22	10	36	12	4.4	5	0.56	4.25	6
KRV 22 B	22	10	36	12	6.05	9.15	1.04	5.7	8.15

KRVE 22 PPA	22	13	36	12	6.05	9.15	1.04	5.7	8.15
KRV 22 PPXA	22	10	36	12	6.05	9.15	1.04	5.7	8.15
KR 22 PPXA	22	10	36	12	4.4	5	0.56	4.25	6
KR 22 XB	22	10	36	12	4.4	5	0.56	4.25	6
KR 26 PPXA	26	10	36	12	4.84	6	0.655	9.3	13.2
KRVE 26 PPA	26	13	36	12	6.82	11	1.25	11.4	16.3
KR 26 B	26	10	36	12	4.84	6	0.655	9.3	13.2
KRE 26 PPA	26	13	36	12	4.84	6	0.655	9.3	13.2
KRV 26 B	26	10	36	12	6.82	11	1.25	11.4	16.3
KRV 26 PPXA	26	10	36	12	6.82	11	1.25	11.4	16.3
KR 26 XB	26	10	36	12	4.84	6	0.655	9.3	13.2
KR 26 PPA	26	10	36	12	4.84	6	0.655	9.3	13.2
KRV 26 PPA	26	10	36	12	6.82	11	1.25	11.4	16.3
KRE 30 PPA	30	15	40	14	6.44	8	0.88	7.8	11.2
KRV 30 PPXA	30	12	40	14	8.97	14.6	1.66	11	15.6
KR 30 PPXA	30	12	40	14	6.44	8	0.88	7.8	11.2
KR 30 B	30	12	40	14	6.44	8	0.88	7.8	11.2
KR 30 PPA	30	12	40	14	6.44	8	0.88	7.8	11.2
KRV 30 B	30	12	40	14	8.97	14.6	1.66	11	15.6
KR 30 XB	30	12	40	14	6.44	8	0.88	7.8	11.2
KRVE 30 PPA	30	15	40	14	8.97	14.6	1.66	11	15.6
KRV 30 PPA	30	12	40	14	8.97	14.6	1.66	11	15.6
KR 32 PPA	32	12	40	14	6.71	8.5	0.95	10.6	15
KRE 32 PPA	32	15	40	14	6.71	8.5	0.95	10.6	15
KRV 32 B	32	12	40	14	9.35	15.3	1.76	14.3	20.4
KRV 32 PPXA	32	12	40	14	9.35	15.3	1.76	14.3	20.4
KRV 32 PPA	32	12	40	14	9.35	15.3	1.76	14.3	20.4
KRVE 32 PPA	32	15	40	14	9.35	15.3	1.76	14.3	20.4
KR 32 B	32	12	40	14	6.71	8.5	0.95	10.6	15
KR 35 B	35	16	52	18	9.52	13.7	1.56	11.4	16.3
KRV 35 PPA	35	16	52	18	12.3	23.2	2.7	14.6	20.8
NUKR 35 XA	35	16	52	18	16.8	17.6	2	8.65	12.2
PWKR 35.2RS	35	16	52	18	11.9	11.4	1.2	8.65	12.5
KRVE 35 PPA	35	20	52	18	12.3	23.2	2.7	14.6	20.8
KRV 35 PPXA	35	16	52	18	12.3	23.2	2.7	14.6	20.8
PWKRE 35.2RS	35	20	52	18	11.9	11.4	1.2	8.65	12.5
NUKRE 35 A	35	20	52	18	16.8	17.6	2	8.65	12.2
KR 35 PPA	35	16	52	18	9.52	13.7	1.56	11.4	16.3
NUKR 35 A	35	16	52	18	16.8	17.6	2	8.65	12.2
KRE 35 PPA	35	20	52	18	9.52	13.7	1.56	11.4	16.3
KR 40 PPA	40	18	58	20	10.5	14.6	1.73	12.5	18
KRV 40 PPA	40	18	58	20	14.2	26.5	3.1	17	24.5
KR 40 XB	40	18	58	20	10.5	14.6	1.73	12.5	18

KRE 40 PPA	40	22	58	20	10.5	14.6	1.73	12.5	18
KR 40 PPXA	40	18	58	20	10.5	14.6	1.73	12.5	18
KRV 40 PPXA	40	18	58	20	14.2	26.5	3.1	17	24.5
NUKR 40 XA	40	18	58	20	19	22	2.5	14	20
KR 40 B	40	18	58	20	10.5	14.6	1.73	12.5	18
KRVE 40 PPA	40	22	58	20	14.2	26.5	3.1	17	24.5
NUKR 40 A	40	18	58	20	19	22	2.5	14	20
PWKR 40.2RS	40	18	58	20	13.8	14.3	1.5	13.7	19.6
NUKRE 40 A	40	22	58	20	19	22	2.5	14	20
PWKRE 40.2RS	40	22	58	20	13.8	14.3	1.5	13.7	19.6
PWKRE 47.2RS	47	24	66	24	22.9	24.5	2.8	18.3	26
NUKR 47 XA	47	20	66	24	28.6	33.5	3.9	17.6	25
KRV 47 PPXA	47	20	66	24	19.4	41.5	5	30.5	43
KR 47 PPA	47	20	66	24	14.7	24.5	2.9	23.6	33.5
KRV 47 PPA	47	20	66	24	19.4	41.5	5	30.5	43
KRE 47 PPA	47	24	66	24	14.7	24.5	2.9	23.6	33.5
PWKR 47.2RS	47	20	66	24	22.9	24.5	2.8	18.3	26
NUKR 47 A	47	20	66	24	28.6	33.5	3.9	17.6	25
NUKRE 47 A	47	24	66	24	28.6	33.5	3.9	17.6	25
KR 47 PPXA	47	20	66	24	14.7	24.5	2.9	23.6	33.5
KR 47 B	47	20	66	24	14.7	24.5	2.9	23.6	33.5
KRVE 47 PPA	47	24	66	24	19.4	41.5	5	30.5	43
KR 47 XB	47	20	66	24	14.7	24.5	2.9	23.6	33.5
KR 52 XB	52	20	66	24	15.7	27	3.2	36	51
NUKRE 52 A	52	24	66	24	29.7	36	4.25	18	25.5
KR 52 PPA	52	20	66	24	15.7	27	3.2	36	51
NUKR 52 A	52	20	66	24	29.7	36	4.25	18	25.5
PWKRE 52.2RS	52	24	66	24	23.8	26.5	3.05	18.6	26.5
KRVE 52 PPA	52	24	66	24	20.9	46.5	5.6	45	64
NUKR 52 XA	52	20	66	24	29.7	36	4.25	18	25.5
PWKR 52.2RS	52	20	66	24	23.8	26.5	3.05	18.6	26.5
KR 52 B	52	20	66	24	15.7	27	3.2	36	51
KR 52 PPXA	52	20	66	24	15.7	27	3.2	36	51
KRV 52 PPA	52	20	66	24	20.9	46.5	5.6	45	64
KRV 52 PPXA	52	20	66	24	20.9	46.5	5.6	45	64
KRE 52 PPA	52	24	66	24	15.7	27	3.2	36	51
KRV 62 PPXA	62	24	80	29	31.4	72	9	72	102
KRVE 62 PPA	62	28	80	29	31.4	72	9	72	102
PWKR 62.2RS	62	24	80	28	31.9	32.5	4.05	20.4	29
KR 62 PPA	62	24	80	29	24.6	44	5.5	58.5	85
KR 62 PPXA	62	24	80	29	24.6	44	5.5	58.5	85
PWKRE 62.2RS	62	28	80	28	31.9	32.5	4.05	20.4	29
NUKR 62 A	62	24	80	28	41.3	48	5.85	25	36

KRV 62 PPA	62	24	80	29	31.4	72	9	72	102
KRE 62 PPA	62	28	80	29	24.6	44	5.5	58.5	85
NUKRE 62 A	62	28	80	28	41.3	48	5.85	25	36
KR 62 XB	62	24	80	29	24.6	44	5.5	58.5	85
KR 62 B	62	24	80	29	24.6	44	5.5	58.5	85
NUKR 62 XA	62	24	80	28	41.3	48	5.85	25	36
PWKR 72.2RS	72	24	80	28	39.6	45	5.6	47.5	68
KR 72 PPXA	72	24	80	29	26	48	6	100	143
KRVE 72 PPA	72	28	80	29	33	80	9.8	118	170
KR 72 XB	72	24	80	29	26	48	6	100	143
NUKRE 72 A	72	28	80	28	45.7	58.5	7.1	34.5	50
KRV 72 PPA	72	24	80	29	33	80	9.8	118	170
KR 72 B	72	24	80	29	26	48	6	100	143
NUKR 72 A	72	24	80	28	45.7	58.5	7.1	34.5	50
KRE 72 PPA	72	28	80	29	26	48	6	100	143
NUKR 72 XA	72	24	80	28	45.7	58.5	7.1	34.5	50
PWKRE 72.2RS	72	28	80	28	39.6	45	5.6	47.5	68
KR 72 PPA	72	24	80	29	26	48	6	100	143
KRV 72 PPXA	72	24	80	29	33	80	9.8	118	170
PWKR 80.2RS	80	30	100	35	57.2	73.5	9.3	64	91.5
KR 80 B	80	30	100	35	36.9	72	9	106	150
KRV 80 PPXA	80	30	100	35	45.7	114	14	122	176
KRVE 80 PPA	80	35	100	35	45.7	114	14	122	176
NUKR 80 XA	80	30	100	35	69.3	86.5	10.8	48	69.5
NUKR 80 A	80	30	100	35	69.3	86.5	10.8	48	69.5
KR 80 XB	80	30	100	35	36.9	72	9	106	150
NUKRE 80 A	80	35	100	35	69.3	86.5	10.8	48	69.5
PWKRE 80.2RS	80	35	100	35	57.2	73.5	9.3	64	91.5
KRE 80 PPA	80	35	100	35	36.9	72	9	106	150
KRV 80 PPA	80	30	100	35	45.7	114	14	122	176
KR 80 PPA	80	30	100	35	36.9	72	9	106	150
NUKRE 90 A	90	35	100	35	78.1	102	12.7	86.5	125
KR 90 XB	90	30	100	35	38	76.5	9.5	160	228
PWKR 90.2RS	90	30	100	35	62.7	85	10.8	108	153
KRVE 90 PPA	90	35	100	35	47.3	122	15	183	260
NUKR 90 A	90	30	100	35	78.1	102	12.7	86.5	125
KR 90 PPA	90	30	100	35	38	76.5	9.5	160	228
PWKRE 90.2RS	90	35	100	35	62.7	85	10.8	108	153
KR 90 B	90	30	100	35	38	76.5	9.5	160	228
KRE 90 PPA	90	35	100	35	38	76.5	9.5	160	228
KRV 90 PPXA	90	30	100	35	47.3	122	15	183	260
NUKR 90 XA	90	30	100	35	78.1	102	12.7	86.5	125
KRV 90 PPA	90	30	100	35	47.3	122	15	183	260